



---

# Comparaison entre $C_{pk}$ et les autres méthodes d'évaluation de la Capabilité

# Les valeurs de $C_{pk}$ en utilisant différentes méthodes d'évaluation de la Capabilité



DPM	Rendement	Niveau de Qualité Sigma	Niveau de Qualité Sigma Cpk	Z à 1 queue	Z à 1 queue Cpk	Z à 2 queues	Z à 2 queues Cpk
691 462,000	30,85380%	1,00	0,33	-0,50	-0,17	0,40	0,13
317 310,000	68,26900%	1,97	0,66	0,47	0,16	1,00	0,33
308 538,000	69,14620%	2,00	0,67	0,50	0,17	1,02	0,34
158 655,000	84,13450%	2,50	0,83	1,00	0,33	1,41	0,47
66 807,000	93,31930%	3,00	1,00	1,50	0,50	1,83	0,61
45 500,000	95,45000%	3,19	1,06	1,69	0,56	2,00	0,67
22 750,000	97,72500%	3,50	1,17	2,00	0,67	2,28	0,76
6 210,000	99,37900%	4,00	1,33	2,50	0,83	2,74	0,91
2 700,000	99,73000%	4,28	1,43	2,78	0,93	3,00	1,00
1 350,000	99,86500%	4,50	1,50	3,00	1,00	3,21	1,07
233,000	99,97670%	5,00	1,67	3,50	1,17	3,68	1,23
63,400	99,99366%	5,33	1,78	3,83	1,28	4,00	1,33
31,700	99,99683%	5,50	1,83	4,00	1,33	4,16	1,39
3,400	99,99966%	6,00	2,00	4,50	1,50	4,64	1,55
0,574	99,99994%	6,36	2,12	4,86	1,62	5,00	1,67
0,287	99,99997%	6,50	2,17	5,00	1,67	5,13	1,71



# Tableau des valeurs Z

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0190	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2969	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3513	0.3554	0.3577	0.3529	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.4993
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.4995
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.4997
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4998

---

This Training Manual and all materials, procedures and systems herein contained or depicted (the "Manual") are the sole and exclusive property of La Rémige S.A.R.L.

The contents hereof contain proprietary information and materials that are the private property of La Rémige S.A.R.L. Unauthorized use, disclosure, or reproduction of any kind of any material contained in this Manual is expressly prohibited. The contents hereof are to be returned immediately upon termination of any relationship or agreement giving user authorization to possess or use such information or materials. Any unauthorized or illegal use shall subject the user to all remedies, both legal and equitable, available to La Rémige S.A.R.L. This Manual may be altered, amended or supplemented by La Rémige S.A.R.L. from time to time. In the event of any inconsistency or conflict between a provision in this Manual and any national, federal, provincial, state or local statute, regulation, order or other law, such law will supersede the conflicting or inconsistent provision(s) of this Manual in all properties subject to that law.

© 2008 by La Rémige S.A.R.L. All Rights Reserved.

*"Lean Six Sigma" is a registered mark with INPI in France*